

**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
0	316,935.92	2,292,402.74	71.29	0.00
1	317,031.71	2,292,435.18	75.09	101.13
2	317,043.66	2,292,437.53	82.31	113.32
3	317,054.41	2,292,438.33	93.50	124.09
4	317,063.00	2,292,436.62	104.41	132.85
5	317,086.02	2,292,429.34	104.12	156.99
6	317,165.51	2,292,414.33	97.64	237.89
7	317,181.78	2,292,413.03	92.87	254.22
8	317,294.70	2,292,410.75	88.94	367.16
9	317,323.36	2,292,412.40	85.34	395.86
10	317,401.96	2,292,420.73	86.26	474.90
11	317,504.16	2,292,423.28	91.47	577.13
12	317,613.51	2,292,414.93	92.44	686.80
13	317,733.11	2,292,413.84	91.67	806.41
14	317,856.90	2,292,407.74	91.12	930.35
15	317,884.50	2,292,408.02	86.14	957.95
16	317,906.31	2,292,410.75	79.85	979.93
17	317,932.91	2,292,416.97	73.93	1,007.25
18	317,955.94	2,292,424.89	70.16	1,031.60
19	318,185.30	2,292,511.59	69.01	1,276.80
20	318,213.27	2,292,522.49	64.67	1,306.81
21	318,232.02	2,292,533.04	56.60	1,328.34
22	318,311.45	2,292,593.80	50.09	1,428.34
23	318,325.05	2,292,606.21	44.76	1,446.75
24	318,333.94	2,292,616.12	35.44	1,460.06
25	318,341.42	2,292,629.64	26.53	1,475.51
26	318,393.77	2,292,746.78	25.69	1,603.81
27	318,395.10	2,292,749.35	28.99	1,606.71
28	318,412.84	2,292,779.26	34.22	1,641.48
29	318,435.89	2,292,809.01	40.84	1,679.12
30	318,471.83	2,292,846.34	47.92	1,730.94
31	318,776.43	2,293,084.94	55.13	2,117.86
32	319,171.27	2,293,328.49	60.50	2,581.78
33	319,193.90	2,293,340.20	66.84	2,607.26
34	319,216.10	2,293,347.83	74.23	2,630.74
35	320,000.81	2,293,522.72	78.97	3,434.70
36	320,163.51	2,293,549.96	101.66	3,599.66
37	320,358.25	2,293,424.36	124.00	3,831.39
38	320,380.83	2,293,408.43	131.62	3,859.02
39	320,400.51	2,293,386.53	145.01	3,888.47
40	320,485.15	2,293,227.66	146.39	4,068.48
41	320,496.13	2,293,214.20	136.15	4,085.85
42	320,511.63	2,293,200.50	126.03	4,106.54
43	320,533.92	2,293,187.32	117.11	4,132.44
44	320,559.80	2,293,175.99	111.81	4,160.68
45	320,585.64	2,293,166.59	103.87	4,188.18
46	320,601.69	2,293,164.40	90.95	4,204.38
47	320,624.60	2,293,166.76	80.96	4,227.41
48	320,636.00	2,293,169.22	86.11	4,239.07
49	320,851.59	2,293,152.50	91.17	4,455.31
50	320,885.21	2,293,153.74	84.54	4,488.95

**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
51	320,973.97	2,293,167.52	126.35	4,578.78
52	320,996.77	2,293,014.41	125.00	4,733.58
53	321,013.67	2,293,017.85	78.67	4,750.82
54	321,182.30	2,293,051.04	76.75	4,922.69
55	321,406.22	2,293,112.61	73.19	5,154.92
56	321,663.44	2,293,197.37	70.80	5,425.75
57	321,686.39	2,293,205.79	66.91	5,450.19
58	321,698.24	2,293,211.58	60.93	5,463.37
59	321,713.39	2,293,221.09	53.75	5,481.27
60	321,724.82	2,293,230.81	49.56	5,496.27
61	321,754.05	2,293,255.75	53.38	5,534.69
62	321,762.39	2,293,261.11	64.26	5,544.61
63	321,777.09	2,293,266.09	79.46	5,560.13
64	321,788.94	2,293,266.59	89.41	5,571.99
65	321,893.37	2,293,264.41	89.37	5,676.44
66	321,924.15	2,293,265.73	84.63	5,707.25
67	322,125.67	2,293,295.07	79.07	5,910.90
68	322,158.51	2,293,303.00	74.08	5,944.68
69	322,196.24	2,293,315.46	71.66	5,984.41
70	322,302.49	2,293,350.83	70.95	6,096.40
71	322,325.42	2,293,359.03	70.93	6,120.75
72	322,341.05	2,293,364.24	72.75	6,137.23
73	322,370.90	2,293,372.84	78.55	6,168.29
74	322,395.65	2,293,375.80	86.99	6,193.22
75	322,438.04	2,293,375.21	93.26	6,235.61
76	322,498.62	2,293,369.14	100.48	6,296.49
77	322,512.71	2,293,365.30	108.21	6,311.10
78	322,526.61	2,293,359.92	114.99	6,326.00
79	322,553.59	2,293,345.07	119.30	6,356.80
80	322,592.07	2,293,323.05	118.34	6,401.13
81	322,636.74	2,293,300.40	115.74	6,451.22
82	322,881.40	2,293,188.43	115.27	6,720.28
83	322,894.34	2,293,182.13	117.34	6,734.68
84	322,914.06	2,293,171.33	118.93	6,757.15
85	322,929.05	2,293,162.97	121.38	6,774.33
86	322,991.15	2,293,121.68	121.43	6,848.90
87	323,006.75	2,293,112.95	113.92	6,866.77
88	323,024.19	2,293,107.07	106.76	6,885.17
89	323,042.26	2,293,102.26	109.00	6,903.88
90	323,129.00	2,293,065.29	113.82	6,998.17
91	323,193.68	2,293,035.75	117.65	7,069.27
92	323,211.71	2,293,025.03	124.23	7,090.25
93	323,225.10	2,293,014.67	130.67	7,107.18
94	323,237.15	2,293,003.18	136.26	7,123.83
95	323,249.44	2,292,989.11	141.07	7,142.51
96	323,265.36	2,292,967.78	139.80	7,169.13
97	323,362.92	2,292,865.55	121.25	7,310.44
98	323,371.70	2,292,863.01	102.25	7,319.57
99	323,386.35	2,292,860.86	91.31	7,334.39
100	323,397.45	2,292,861.97	82.19	7,345.54
101	323,412.42	2,292,864.59	80.73	7,360.74

**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
102	323,575.91	2,292,889.37	81.10	7,526.10
103	323,591.81	2,292,891.94	83.32	7,542.20
104	323,656.44	2,292,896.66	87.77	7,607.01
105	323,671.29	2,292,896.74	91.83	7,621.86
106	323,681.83	2,292,896.01	93.50	7,632.42
107	323,704.04	2,292,894.82	91.57	7,654.66
108	323,713.51	2,292,894.81	87.96	7,664.13
109	323,721.79	2,292,895.41	84.88	7,672.44
110	323,758.87	2,292,899.35	84.87	7,709.72
111	323,772.03	2,292,900.32	86.60	7,722.92
112	323,786.61	2,292,900.98	89.13	7,737.51
113	323,834.80	2,292,900.25	92.06	7,785.71
114	323,852.44	2,292,899.25	97.58	7,803.38
115	323,870.16	2,292,895.51	107.91	7,821.48
116	323,871.47	2,292,894.93	111.14	7,822.92
117	323,956.97	2,292,866.53	109.25	7,913.01
118	323,970.86	2,292,861.44	114.65	7,927.81
119	323,986.54	2,292,852.68	122.25	7,945.77
120	324,062.56	2,292,798.80	119.69	8,038.94
121	324,080.45	2,292,790.82	108.90	8,058.54
122	324,099.95	2,292,786.05	100.94	8,078.61
123	324,115.02	2,292,783.89	94.22	8,093.83
124	324,149.20	2,292,783.72	88.38	8,128.01
125	324,514.85	2,292,806.14	85.53	8,494.35
126	324,541.23	2,292,808.65	78.94	8,520.85
127	324,549.82	2,292,811.22	65.92	8,529.81
128	324,557.62	2,292,816.01	52.12	8,538.96
129	324,565.90	2,292,824.08	42.83	8,550.53
130	324,638.02	2,292,910.24	41.29	8,662.89
131	324,649.93	2,292,923.17	49.82	8,680.48
132	324,661.44	2,292,930.65	65.88	8,694.20
133	324,674.14	2,292,934.11	80.75	8,707.36
134	324,684.97	2,292,934.73	91.77	8,718.20
135	324,938.82	2,292,904.35	97.00	8,973.87
136	324,968.53	2,292,900.61	94.07	9,003.81
137	325,108.02	2,292,898.27	87.94	9,143.32
138	325,130.55	2,292,900.27	77.70	9,165.94
139	325,148.19	2,292,906.53	64.32	9,184.66
140	325,162.28	2,292,915.27	51.56	9,201.24
141	325,401.25	2,293,154.72	47.85	9,539.53
142	325,432.69	2,293,180.40	54.99	9,580.12
143	325,493.80	2,293,216.80	63.11	9,651.26
144	325,523.42	2,293,229.37	71.63	9,683.44
145	325,547.60	2,293,235.28	79.68	9,708.32
146	325,649.45	2,293,247.60	84.78	9,810.92
147	325,662.01	2,293,248.38	88.24	9,823.50
148	325,672.21	2,293,248.38	92.84	9,833.70
149	325,717.45	2,293,243.89	99.13	9,879.16
150	325,802.70	2,293,224.82	106.53	9,966.52
151	325,809.76	2,293,222.19	112.81	9,974.06
152	325,817.06	2,293,218.76	118.12	9,982.12

**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
153	325,878.57	2,293,181.68	119.69	10,053.94
154	325,899.36	2,293,170.49	106.95	10,077.55
155	326,009.34	2,293,159.68	94.69	10,188.06
156	326,027.75	2,293,158.47	92.95	10,206.51
157	326,045.40	2,293,157.81	89.04	10,224.18
158	326,150.52	2,293,165.27	86.84	10,329.56
159	326,170.95	2,293,166.08	90.07	10,350.00
160	326,414.14	2,293,155.85	95.80	10,593.41
161	326,435.20	2,293,152.44	104.23	10,614.74
162	326,448.95	2,293,147.64	115.18	10,629.31
163	326,465.66	2,293,137.56	126.09	10,648.82
164	326,481.18	2,293,124.03	135.47	10,669.41
165	326,601.49	2,292,981.39	137.84	10,856.01
166	326,629.22	2,292,952.83	133.16	10,895.83
167	326,648.14	2,292,936.68	127.62	10,920.70
168	326,662.06	2,292,927.02	123.61	10,937.64
169	326,690.33	2,292,909.04	122.61	10,971.15
170	326,926.03	2,292,757.37	126.69	11,251.43
171	326,950.75	2,292,736.17	135.84	11,284.00
172	326,978.73	2,292,701.56	141.96	11,328.50
173	327,327.43	2,292,241.06	142.95	11,906.13
174	327,416.31	2,292,122.99	143.86	12,053.91
175	327,432.11	2,292,100.68	146.84	12,081.25
176	327,668.74	2,291,706.96	146.96	12,540.60
177	327,681.09	2,291,689.37	141.19	12,562.09
178	327,704.97	2,291,663.35	134.82	12,597.41
179	328,239.94	2,291,178.52	126.98	13,319.39
180	328,263.75	2,291,163.77	114.76	13,347.39
181	328,280.54	2,291,158.40	102.84	13,365.03
182	328,302.03	2,291,155.40	92.73	13,386.72
183	328,681.46	2,291,171.85	83.79	13,766.51
184	328,698.96	2,291,174.91	74.78	13,784.28
185	328,730.21	2,291,186.60	67.96	13,817.64
186	328,802.38	2,291,218.10	72.00	13,896.38
187	328,824.32	2,291,222.93	85.37	13,918.86
188	328,838.05	2,291,222.17	98.31	13,932.60
189	328,859.24	2,291,217.10	111.17	13,954.39
190	328,878.05	2,291,206.72	109.51	13,975.88
191	328,897.03	2,291,203.33	93.68	13,995.15
192	328,926.11	2,291,204.74	85.75	14,024.26
193	328,994.56	2,291,211.61	89.21	14,093.06
194	329,014.61	2,291,210.15	98.05	14,113.17
195	329,036.64	2,291,205.49	109.02	14,135.68
196	329,055.85	2,291,196.09	122.67	14,157.06
197	329,087.59	2,291,170.15	124.53	14,198.06
198	329,103.56	2,291,160.99	108.50	14,216.47
199	329,126.39	2,291,158.12	92.99	14,239.47
200	329,155.26	2,291,158.72	86.90	14,268.35
201	329,228.84	2,291,165.16	87.19	14,342.21
202	329,245.53	2,291,165.34	95.44	14,358.90
203	329,271.53	2,291,160.05	105.49	14,385.44

**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
204	329,297.37	2,291,150.91	112.51	14,412.85
205	329,305.43	2,291,147.06	126.66	14,421.78
206	329,315.96	2,291,135.46	138.60	14,437.44
207	329,326.32	2,291,123.36	140.88	14,453.38
208	329,338.07	2,291,108.13	131.43	14,472.61
209	329,375.59	2,291,086.02	111.68	14,516.16
210	329,399.89	2,291,080.48	93.29	14,541.09
211	329,435.19	2,291,084.36	84.59	14,576.60
212	329,494.28	2,291,089.07	87.46	14,635.87
213	329,516.16	2,291,089.27	101.95	14,657.75
214	329,541.33	2,291,077.83	116.42	14,685.40
215	329,650.91	2,291,018.54	119.58	14,809.99
216	329,694.97	2,290,992.32	124.45	14,861.26
217	329,712.90	2,290,978.24	136.62	14,884.06
218	329,742.83	2,290,935.35	137.28	14,936.36
219	329,778.01	2,290,906.39	121.49	14,981.92
220	329,847.25	2,290,876.25	109.17	15,057.44
221	329,903.76	2,290,861.32	101.78	15,115.89
222	329,936.92	2,290,856.21	113.03	15,149.44
223	329,951.56	2,290,845.05	102.66	15,167.85
224	329,977.31	2,290,850.52	96.00	15,194.17
225	330,126.41	2,290,784.18	116.68	15,357.36
226	330,159.83	2,290,765.37	121.68	15,395.71
227	330,175.23	2,290,754.99	126.94	15,414.28
228	330,592.43	2,290,406.06	129.72	15,958.16
229	330,612.79	2,290,389.26	131.80	15,984.56
230	330,634.67	2,290,368.08	137.37	16,015.02
231	330,707.23	2,290,279.47	133.30	16,129.54
232	330,723.77	2,290,267.49	118.91	16,149.96
233	330,746.88	2,290,258.20	105.27	16,174.88
234	330,799.47	2,290,250.21	94.93	16,228.07
235	330,815.54	2,290,249.87	89.60	16,244.14
236	330,836.51	2,290,250.60	84.89	16,265.12
237	331,070.14	2,290,284.26	89.95	16,501.16
238	331,078.31	2,290,283.10	118.50	16,509.41
239	331,082.76	2,290,277.99	148.33	16,516.19
240	331,085.69	2,290,270.82	158.53	16,523.93
241	331,099.59	2,290,234.02	158.83	16,563.27
242	331,119.10	2,290,184.89	164.00	16,616.14
243	331,124.83	2,290,153.50	166.14	16,648.04
244	331,128.90	2,290,140.50	155.05	16,661.66
245	331,137.28	2,290,127.36	133.08	16,677.25
246	331,153.57	2,290,118.45	108.79	16,695.82
247	331,161.63	2,290,117.18	99.55	16,703.98
248	331,172.77	2,290,115.18	117.80	16,715.30
249	331,179.12	2,290,108.74	146.74	16,724.35
250	331,183.67	2,290,097.44	153.39	16,736.53
251	331,190.58	2,290,086.06	139.25	16,749.84
252	331,199.46	2,290,078.68	126.30	16,761.39
253	331,413.41	2,289,940.65	122.81	17,016.00
254	331,428.69	2,289,930.80	128.68	17,034.17

**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
255	331,438.94	2,289,920.71	136.30	17,048.56
256	331,490.29	2,289,863.59	148.34	17,125.37
257	331,496.18	2,289,848.55	163.31	17,141.52
258	331,497.95	2,289,840.24	175.13	17,150.02
259	331,497.39	2,289,826.21	183.91	17,164.06
260	331,495.68	2,289,808.57	190.28	17,181.78
261	331,487.01	2,289,776.23	196.28	17,215.26
262	331,482.68	2,289,762.57	204.92	17,229.59
263	331,476.53	2,289,752.83	218.03	17,241.11
264	331,449.53	2,289,724.67	223.35	17,280.12
265	331,430.29	2,289,703.96	228.49	17,308.39
266	331,387.44	2,289,672.92	238.34	17,361.30
267	331,346.51	2,289,651.71	230.36	17,407.40
268	331,342.07	2,289,646.05	195.47	17,414.59
269	331,342.74	2,289,640.73	154.62	17,419.95
270	331,346.61	2,289,636.67	118.76	17,425.57
271	331,355.51	2,289,634.92	96.68	17,434.63
272	331,367.61	2,289,634.44	84.36	17,446.74
273	331,385.46	2,289,638.74	70.53	17,465.10
274	331,415.64	2,289,653.07	60.94	17,498.51
275	331,495.67	2,289,704.49	51.77	17,593.64
276	331,515.25	2,289,723.23	43.20	17,620.74
277	331,543.64	2,289,756.89	38.69	17,664.78
278	331,552.30	2,289,768.28	34.21	17,679.08
279	331,560.21	2,289,781.36	31.39	17,694.37
280	331,587.11	2,289,825.09	34.33	17,745.71
281	331,611.24	2,289,857.03	38.72	17,785.74
282	331,624.43	2,289,872.54	34.98	17,806.10
283	331,635.01	2,289,891.18	23.81	17,827.53
284	331,637.21	2,289,897.95	14.29	17,834.65
285	331,638.76	2,289,906.23	4.75	17,843.08
286	331,638.62	2,289,913.65	358.12	17,850.50
287	331,636.81	2,289,951.86	1.60	17,888.74
288	331,637.74	2,289,960.83	20.62	17,897.76
289	331,641.92	2,289,966.72	49.75	17,904.98
290	331,649.60	2,289,970.44	72.59	17,913.52
291	331,657.96	2,289,971.76	86.55	17,921.98
292	331,668.71	2,289,971.37	95.35	17,932.74
293	331,689.62	2,289,968.20	101.73	17,953.89
294	331,721.10	2,289,959.86	108.75	17,986.45
295	331,790.73	2,289,930.80	111.12	18,061.90
296	331,809.74	2,289,924.03	106.74	18,082.09
297	331,831.18	2,289,918.73	101.81	18,104.17
298	331,931.33	2,289,901.54	103.96	18,205.79
299	331,947.72	2,289,896.16	113.09	18,223.03
300	331,973.53	2,289,882.43	123.04	18,252.27
301	332,039.50	2,289,830.74	125.02	18,336.09
302	332,054.48	2,289,821.39	114.86	18,353.74
303	332,074.10	2,289,815.11	99.47	18,374.34
304	332,095.53	2,289,814.67	87.32	18,395.77
305	332,149.09	2,289,820.79	83.40	18,449.68

**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
306	332,283.75	2,289,836.56	90.53	18,585.26
307	332,297.62	2,289,834.67	104.29	18,599.26
308	332,310.66	2,289,829.71	122.20	18,613.21
309	332,319.21	2,289,821.58	140.46	18,625.01
310	332,328.46	2,289,807.14	148.30	18,642.15
311	332,357.42	2,289,758.45	156.49	18,698.81
312	332,361.37	2,289,744.92	176.20	18,712.90
313	332,358.38	2,289,725.36	194.97	18,732.69
314	332,269.81	2,289,497.53	192.43	18,977.13
315	332,269.34	2,289,490.11	175.37	18,984.57
316	332,271.22	2,289,481.88	153.25	18,993.02
317	332,289.49	2,289,460.58	132.44	19,021.08
318	332,328.84	2,289,432.52	120.67	19,069.41
319	332,335.43	2,289,429.32	111.29	19,076.74
320	332,340.91	2,289,427.68	106.73	19,082.46
321	332,341.15	2,289,427.60	104.46	19,082.70
322	332,347.59	2,289,426.21	97.80	19,089.30
323	332,528.25	2,289,415.44	92.60	19,270.28
324	332,538.23	2,289,415.13	88.52	19,280.26
325	332,552.52	2,289,416.32	78.58	19,294.60
326	332,596.89	2,289,430.81	78.58	19,341.27
327	332,609.05	2,289,431.82	91.41	19,353.47
328	332,619.47	2,289,430.43	104.92	19,363.99
329	332,634.41	2,289,424.31	115.35	19,380.14
330	332,730.54	2,289,372.26	118.61	19,489.45
331	332,741.08	2,289,366.47	133.83	19,501.48
332	332,747.19	2,289,356.34	149.54	19,513.30
333	332,778.49	2,289,301.70	146.96	19,576.27
334	332,782.91	2,289,295.68	128.93	19,583.75
335	332,788.93	2,289,292.98	123.33	19,590.34
336	332,797.53	2,289,285.09	150.97	19,602.01
337	332,799.57	2,289,274.15	178.23	19,613.15
338	332,760.32	2,288,955.85	186.86	19,933.86
339	332,758.27	2,288,938.35	180.83	19,951.48
340	332,759.51	2,288,924.33	170.79	19,965.55
341	332,859.71	2,288,503.18	159.52	20,398.46
342	332,864.86	2,288,493.32	139.86	20,409.58
343	332,876.23	2,288,484.66	120.96	20,423.88
344	332,919.32	2,288,464.91	121.92	20,471.28
345	332,927.37	2,288,458.34	142.16	20,481.67
346	332,930.18	2,288,452.30	164.26	20,488.33
347	332,931.20	2,288,443.43	184.27	20,497.26
348	332,928.39	2,288,433.01	201.04	20,508.05
349	332,689.50	2,287,963.63	209.59	21,034.73
350	332,679.49	2,287,947.75	215.42	21,053.49
351	332,665.83	2,287,930.65	224.72	21,075.38
352	332,578.23	2,287,859.22	224.44	21,188.41
353	332,567.64	2,287,845.70	206.19	21,205.58
354	332,563.56	2,287,829.70	192.30	21,222.10
355	332,542.79	2,287,715.39	186.55	21,338.28
356	332,541.25	2,287,683.96	180.00	21,369.74

**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
357	332,585.26	2,286,784.18	174.99	22,270.60
358	332,590.20	2,286,745.17	166.23	22,309.92
359	332,604.34	2,286,707.00	159.03	22,350.63
360	332,699.92	2,286,465.78	159.66	22,610.10
361	332,710.83	2,286,434.21	148.34	22,643.49
362	332,728.10	2,286,416.49	125.73	22,668.24
363	333,327.78	2,286,127.50	111.77	23,333.92
364	333,347.42	2,286,121.19	99.00	23,354.55
365	333,380.03	2,286,121.08	88.74	23,387.16
366	333,959.32	2,286,148.45	89.32	23,967.10
367	333,970.40	2,286,148.19	92.72	23,978.18
368	333,982.36	2,286,147.33	97.72	23,990.17
369	334,001.17	2,286,143.56	107.82	24,009.36
370	334,014.73	2,286,137.44	116.60	24,024.23
371	334,199.48	2,286,035.44	112.61	24,235.27
372	334,214.06	2,286,031.18	98.80	24,250.45
373	334,230.75	2,286,030.80	87.49	24,267.15
374	334,241.72	2,286,032.01	80.70	24,278.19
375	334,253.32	2,286,034.54	77.76	24,290.06
376	334,363.01	2,286,058.23	88.86	24,402.28
377	334,374.75	2,286,056.18	101.74	24,414.20
378	334,381.44	2,286,054.57	110.53	24,421.08
379	334,417.15	2,286,035.98	115.96	24,461.34
380	334,433.32	2,286,028.63	112.38	24,479.10
381	334,458.49	2,286,019.31	113.81	24,505.94
382	334,478.13	2,286,009.18	120.04	24,528.03
383	334,491.68	2,286,000.44	127.51	24,544.16
384	334,502.46	2,285,990.67	145.72	24,558.71
385	334,506.06	2,285,981.16	161.70	24,568.88
386	334,509.12	2,285,970.37	170.21	24,580.09
387	334,510.27	2,285,952.85	176.41	24,597.65
388	334,511.76	2,285,927.92	182.30	24,622.63
389	334,508.95	2,285,907.97	192.85	24,642.78
390	334,487.49	2,285,840.63	199.46	24,713.45
391	334,484.90	2,285,833.95	197.13	24,720.62
392	334,482.87	2,285,825.18	186.65	24,729.62
393	334,482.56	2,285,767.50	181.96	24,787.29
394	334,479.93	2,285,725.82	179.40	24,829.05
395	334,481.50	2,285,707.20	169.83	24,847.75
396	334,486.20	2,285,690.29	154.57	24,865.30
397	334,610.12	2,285,515.46	147.55	25,079.60
398	334,617.17	2,285,503.03	159.74	25,093.88
399	334,620.45	2,285,486.07	187.59	25,111.16
400	334,616.06	2,285,477.12	222.37	25,121.12
401	334,593.57	2,285,463.39	237.83	25,147.48
402	334,580.94	2,285,455.21	224.70	25,162.53
403	334,575.45	2,285,446.54	194.16	25,172.78
404	334,576.16	2,285,436.48	155.35	25,182.87
405	334,584.47	2,285,428.24	129.95	25,194.58
406	334,594.53	2,285,421.15	124.70	25,206.88
407	334,623.68	2,285,401.33	131.37	25,242.13



**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
408	334,660.33	2,285,359.88	142.63	25,297.46
409	334,671.43	2,285,342.96	158.38	25,317.70
410	334,675.78	2,285,318.24	176.21	25,342.79
411	334,665.88	2,285,082.48	183.12	25,578.76
412	334,660.90	2,285,008.18	191.32	25,653.23
413	334,580.14	2,284,771.06	201.42	25,903.72
414	334,569.22	2,284,746.56	208.89	25,930.55
415	334,536.12	2,284,697.02	206.98	25,990.13
416	334,520.70	2,284,655.14	189.79	26,034.76
417	334,520.93	2,284,634.46	196.00	26,055.44
418	334,513.85	2,284,623.41	236.84	26,068.56
419	334,439.82	2,284,611.73	300.19	26,143.50
420	334,432.15	2,284,632.08	329.58	26,165.25
421	334,426.66	2,284,638.58	289.53	26,173.76
422	334,401.73	2,284,633.85	212.64	26,199.14
423	334,407.40	2,284,611.03	161.71	26,222.65
424	334,425.06	2,284,568.64	150.25	26,268.58
425	334,454.20	2,284,529.80	147.04	26,317.14
426	334,488.65	2,284,467.78	153.98	26,388.08
427	334,513.53	2,284,409.16	159.79	26,451.76
428	334,528.23	2,284,362.30	155.50	26,500.86
429	334,563.34	2,284,305.21	140.24	26,567.89
430	334,666.11	2,284,212.42	124.76	26,706.35
431	334,700.52	2,284,194.56	127.04	26,745.12
432	334,705.87	2,284,188.89	150.05	26,752.91
433	334,709.27	2,284,177.41	164.99	26,764.89
434	334,734.17	2,284,073.69	175.57	26,871.56
435	334,732.44	2,284,052.36	192.51	26,892.96
436	334,690.34	2,283,938.95	193.45	27,013.93
437	334,678.83	2,283,838.38	181.37	27,115.16
438	334,680.28	2,283,816.38	173.10	27,137.21
439	334,685.06	2,283,789.32	158.54	27,164.68
440	334,696.89	2,283,771.04	136.30	27,186.46
441	334,772.37	2,283,717.17	129.12	27,279.19
442	334,817.20	2,283,675.77	134.14	27,340.21
443	334,864.71	2,283,627.34	138.23	27,408.06
444	335,415.88	2,282,948.67	143.22	28,282.35
445	335,434.73	2,282,921.22	146.77	28,315.64
446	335,468.61	2,282,866.94	153.67	28,379.63
447	335,479.46	2,282,838.22	162.85	28,410.33
448	335,486.77	2,282,808.04	166.17	28,441.39
449	335,582.03	2,282,426.82	165.88	28,834.33
450	335,595.11	2,282,375.19	162.98	28,887.59
451	335,612.39	2,282,327.24	157.10	28,938.55
452	335,743.64	2,282,057.99	155.68	29,238.09
453	335,764.90	2,282,007.01	155.55	29,293.33
454	335,860.91	2,281,812.35	150.83	29,510.38
455	335,885.72	2,281,772.79	144.22	29,557.07
456	336,191.43	2,281,401.46	141.60	30,038.06
457	336,220.36	2,281,363.55	145.48	30,085.75
458	336,247.65	2,281,319.36	149.80	30,137.68

**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
459	336,460.12	2,280,931.22	153.37	30,580.17
460	336,471.22	2,280,906.94	158.55	30,606.87
461	336,482.61	2,280,872.58	164.02	30,643.07
462	336,609.54	2,280,348.84	167.24	31,181.97
463	336,616.50	2,280,315.84	169.97	31,215.69
464	336,655.17	2,280,046.09	170.11	31,488.20
465	336,663.91	2,280,003.56	162.69	31,531.62
466	336,677.22	2,279,972.20	153.09	31,565.68
467	336,695.06	2,279,942.32	145.22	31,600.49
468	336,861.33	2,279,734.96	143.91	31,866.28
469	336,908.69	2,279,663.30	148.30	31,952.17
470	337,120.22	2,279,295.99	151.65	32,376.04
471	337,207.72	2,279,122.56	154.96	32,570.29
472	337,261.01	2,278,998.85	154.69	32,704.99
473	337,346.15	2,278,834.00	160.43	32,890.53
474	337,374.94	2,278,696.57	171.08	33,030.94
475	337,383.51	2,278,615.26	177.29	33,112.70
476	337,383.06	2,278,571.36	177.31	33,156.60
477	337,386.99	2,278,533.69	171.39	33,194.48
478	337,390.85	2,278,514.33	165.44	33,214.22
479	337,406.13	2,278,466.92	167.36	33,264.03
480	337,410.94	2,278,430.00	177.62	33,301.26
481	337,397.93	2,278,149.65	182.69	33,581.91
482	337,395.41	2,278,096.63	174.87	33,634.99
483	337,423.43	2,277,975.21	166.49	33,759.61
484	337,479.40	2,277,751.14	162.43	33,990.56
485	337,605.74	2,277,423.96	161.78	34,341.29
486	337,626.53	2,277,348.06	166.04	34,419.98
487	337,636.78	2,277,302.18	170.30	34,466.99
488	337,679.45	2,276,944.93	176.05	34,826.78
489	337,679.85	2,276,923.67	180.95	34,848.04
490	337,663.49	2,276,609.78	183.11	35,162.36
491	337,661.41	2,276,572.89	175.17	35,199.31
492	337,668.41	2,276,542.34	165.99	35,230.65
493	337,745.62	2,276,256.75	167.41	35,526.49
494	337,754.45	2,276,206.89	173.12	35,577.13
495	337,769.91	2,275,968.66	179.43	35,815.85
496	337,767.71	2,275,919.61	183.73	35,864.95
497	337,763.77	2,275,873.63	184.36	35,911.10
498	337,755.13	2,275,744.19	176.79	36,040.84
499	337,755.25	2,275,743.56	177.94	36,041.48
500	337,748.17	2,275,677.45	188.07	36,107.96
501	337,724.64	2,275,544.49	191.00	36,242.99
502	337,709.78	2,275,474.40	193.01	36,314.63
503	337,684.38	2,275,372.91	189.44	36,419.26
504	337,680.78	2,275,330.32	182.77	36,461.99
505	337,679.19	2,275,204.40	180.68	36,587.93
506	337,677.82	2,275,082.38	180.44	36,709.96
507	337,677.04	2,274,890.96	180.86	36,901.38
508	337,673.62	2,274,759.07	183.81	37,033.31
509	337,658.03	2,274,614.08	178.64	37,179.13

**06 Comonfort-Amexhe ruta puntos X Y**

<b>Vértice</b>	<b>X</b>	<b>Y</b>	<b>Angulo</b>	<b>Distancia Acumulada (m)</b>
510	337,670.25	2,274,535.59	169.39	37,258.57
511	337,691.66	2,274,438.01	161.31	37,358.48
512	337,739.35	2,274,335.73	160.99	37,471.33
513	337,746.57	2,274,304.51	171.24	37,503.37
514	337,756.75	2,274,174.98	169.27	37,633.30
515	337,828.50	2,273,939.86	163.03	37,879.13